



ENGINE LOG

F.A.A. Certified Repair Station MW2R020L

"Quality not Quantity"

G&N Aircraft, Inc. Engine Log Book

•	Manufacturer
	Model
	Serial Number
	Engine Total Time
	Recommended TBO
	Minimum Octane Fuel

Important Notice to Installer

Even though this engine has been test run and set using our dynamometer it must be set in the correct manner and within the limitations as specified in the engine and airframe manufacturers service manuals when installed in the aircraft.

G & N AIRCRAFT, INC. / Limited Piston Engine Warranty

Effective 1/1/2006, G. & N. Aircraft, Inc., (hereinafter "G. & N") makes the following warranty to its customer, subject to the limitations, conditions and exclusions set forth below.

WARRANTY COVERAGE – For a period of twelve (12) months after date of delivery to customer, G. & N. Aircraft, Inc. shall repair or replace, at its option, any aircraft engine, accessory, or part which is found to be defective, to G. & N. Aircraft, Inc.'s satisfaction, within said warranty period.

For engine warranty after twelve (12) months from the date of delivery to customer and prior to the explasion of the manufacturers recommended time between overhaul ("18O"), the cost of repair or replacement (including the cost of parts and labor), at G & N Aircraft's option, shall be prorated in the following manner. The customer shall pay a prorated amount based upon the engine's TBO and the engine hours (which shall be deemed the greater of logbook hours, recorded tachometer hours, or a minimum of lority (40) hour per month from date of delivery). For instance, an engine with a TBO of 2000 hours and with 200 hours of usage in a 16 month period would have a prorated warranty coverage of 68% applied to cost of a replacement engine or to the cost of parts and labor for repair of this subject engine, either of which shall be at the option of G & N Aircraft, Inc. Reasonable labor costs associated with the repair of a warranted engine shall be prorated in the same manner on the basis of a flat rate schedule established by G & N Aircraft, Inc.

After the initial twelve (12) months from date of delivery, G & N Aircraft, Inc. will not assume any responsibility for the repair or replacement of engine accessories, including but not limited to the following: magnetos, starter, alternator, ignition hamess, turbocharger, carburetor, fuel injection, etc.

Replacement parts supplied for warranted engines still covered by manufacturer's warranty are supplied on an exchange basis prepaid by customer. G & N Alectaft, Inc. will pursue warranty claims with the manufacturer on the owner's behalf. Any allowance by the manufacturer will be credited to the operator's account.

REQUIRED CONDITIONS AND PROCEDURES NECESSARY FOR OBTAINING WARRANTY WORK – The following conditions and procedures must be met before G & N Aircraft, Inc. is liable under the provisions of this written warranty. The foregoing warranty shall be effective only if the engine or component to be serviced is returned to G & N Aircraft, Inc.'s facility at customer's expense, together with a detailed description in writing of the nature of the defect. The customer or his representative should contact G & N Aircraft, Inc. for verification and authorization of warranty prior to return and/or repair. Written authorization

Warranty No. 73417

Engine Serial No. 810484—R

Aircraft Registration No.

must be obtained from G & N Aircraft, Inc. before repairs covered by wastanty can be performed other than by G & N Aircraft, Inc. In no event shall allowable repair costs exceed local published shop rates. This warranty shall apply if and only if the engine has been properly installed and maintained in accordance with current approved standards of the Federal Aviation Administration ("FAA") and current recommendations of the manufacturer as specified in applicable factory manuals and service bulletins. The performance of recommended inspections and maintenance must be documented by appropriate logbook entires which must accompany any engine returned for warranty work. Only defects which are reported to G & N Aircraft, Inc. within the warranty period are covered by this warranty and G & N Aircraft, Inc. must be given written notice, within ten (10) days after discovery.

LIMITATIONS, EXCLUSIONS, AND DISCLAIMERS = G & N Aircraft, Inc., shall not be liable for freight charges, transportation or delivery expenses, costs, or airframe repairs, all of which are excluded under this warranty. G & N Aircraft, Inc., does not warrant parts, materials or services supplied which are covered by manufacturer's warranty. This written warranty shall not apply to any engine which has been installed repaired or maintained or altered in any manner which, in the judgment of G & N Aircraft, Inc. has shad an adverse effect on the engine or its pairs. This warranty shall not apply to any engine which has been operated under conditions which exceed the manufacturer's recommendations. Unless prior approval is given in writing by G & N Aircraft, Inc., this warranty shall not apply to any engine which has been repaired or altered, in any manner other than by G & N Aircraft, Inc., or it's authorized representative.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR REPRISENTATIONS, DEPRESS OR IMPLIED, ARBSING BY OPERATION OF LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION THE WARRANTY OR MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE WHICH WARRANTIES ARE HEREBY EXCLUDED, G. & N. Alocrait, Inc.'s liability hereunder shall be limited to the repair or replacement of any engine or part found to be defective within the applicable warranty period as set forth above. In NO EVENT SHALL G. & N. AIRCRAFT, INC. BE LIABILE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR ECONOMIC LOSS OF ANY NATURE WHETHER ARISING IN CONTRACT OR TORE, INCLUDING STRICT LIABILITY IN TORT OR NEGLIGENCE ON THE PART OF G. & N. AIRCRAFT, INC. The laws of the State of Indiana will control the interpretation and application of this warranty. All disputes regarding this warranty and any related purchase or repair must be adjudicated in Lake County, Indiana.



1701 East Main Street Griffith, Indiana 46319 Tel: (219) 924-7110

G&N Aircraft Recommended oil after break in: Any approved straight weight AD oil of a viscosity respective of operating outside air temperature, i.e. Grade 65W through 100W.

This is to certify that the engine described herafter has been overhauled to the manufacturer's new parts limits. Engine disassembled, cleaned, inspected, and reassembled in accordance with manufacturer's overhaul instructions. All steel parts magnafluxed. Engine test run in F.A.A. approved test cell. All applicable Airworthiness Directives and Manufacturer's Service Bulletins are in compliance as of the date of overhaul.

A	descrip	ntion	is	on	file	at	this	agency	under:

Job No. 73417

Date 12/09/2019

Mfg. Continental

Model 10-550-C

Serial No. 810484-R

Time in Svc. 3656.2

G&N Aircraft, Inc.

1701 E. Main St. Griffith, IN 46319 (219) 924-7110

Denis Melling (C.R.S. # MW 2R020L

Engine	The Accessories L IO-550-C	isted Below Were Ov	erhauled and Supplie SN <u>810484-R</u>	ed With This Engine DATE 12/09/19
	Part Number	Serial Number	Par	t Number Serial Number
MAG.	BL-349350-4	F19BA176R	PROPELLER	NONE
MAG	BL-349350-5	F19HA131R	PROP. GOV	NONE
ALT/GEN	ES-6024D	н-т092734	TACH. GEN.	NONE
INJ/CARB.	R-657026A4	A14DA128R	TURBO CHARGER	NONE
FUEL PUMP	R-646212-55A1	B14DA137R	WASTE GATE	NONE
STARTER	C24ST5	H-T030357	CONTROLLER	NONE
VAC. PUMP	AA442-CW-12	0A9A04	CONTROLLER	NONE
DIS. VALVE	R-646508-14A4		REL. VALVE	NONE
G G&	N Aircraft, Inc.	1701 E. Main St Griffith, IN 4631 (219) 924-7110	9 Den	73417 no Nolla te ZR.S. # MW 2R020L

AIRWORTHINESS DIRECTIVE At date of engine overhaul: 12/09/2019 Engine Model: 10-550-C Authorized Signiture: Nemia Ng ONE TIME AD & REV# REV DATE APPLIC. SB # RECURRING 88-03-06 M88-4 X 91-19-03 M90-4 X 93-08-17 M91-10 R1 X 95-03-14 M94-9 X 98-01-08 х 99-19-01 MSB99-3C X 2000-23-21 MSB00-5C X 2010-11-04 MSB09-8A X 93-16-15 M93-9 R1 X

COMPLIANCE RECORD						
S/N 810484-R	W/O					
	P/C/W previously complied with, N/A not applicable					
Authorized Signiture:	CRS MW2R020L					
+						
	N/A by P/N					
×	N/A by P/N					
	N/A by model					
	N/A by P/N					
	N/A by P/N					
	N/A by S/N					
	N/A by S/N					
	N/A by P/N					
	P/C/W					
END						

Burlington Air Center 703 Arport Rd. Burlington, Wi, 53105 (262) 763-9500 Fax (262) 763-2910 1/21/2020 Right N777TK Hobbs: 5523.0 SMOH: 0.0 Engine Installed: on Beechcraft Baron S8 N777TK SN) TH-1018 in RH position, see current AD report for list of accessories. Inspections: Compressions: Engines are Zero time Since Major Overhaul. All AD's checked. All routine maintenance completed: Installed new 8A-710 induction air filter element, AA48108-2 oil filter and serviced oil to 10sts of Phillips 20W50XC. Set mag timing per placards and markings, set fuel pressures per SID97-3C. Washed down engine, ran up and checked for leaks, none noted at this time. No repairs necessary. I certify: this Engine has been inspected in accordance with an Annual Inspection, determined to be in airworthy condition with regard to the work performed, and that the work described above has been accomplished in accordance with current regulations. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910 Mobbs: 5544.7 Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA43108-2 filter and filled engine with 11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Listed: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 fax (262) 763-2910	ate	Performed Work: Must include signature certificate number, and repair station number if a					
(262) 763 9500 Fax (262) 763-2910 1/21/2020 Right N777TK Hobbs: 5523.0 SMOH: 0.0 Engine Installed: on Beechcraft Baron 58 N777TK SN) TH-1018 in RH position, see current AD report for list of accessories. Inspections; Completed Annual Inspection this date IAW FAR Pt. 43 App. D Compressions: Engines are Zero time Since Major Overhaul. All AD's checked. All routine maintenance completed: Installed new BA-7710 induction air filter element, AA48108-2 oil filter and serviced oil to 10qts of Philips 20W50XC. Set mag timing per placards and markings, set fuel pressures per Si097-3C. Washed down engine, ran up and checked for leaks, none noted at this time. No repairs necessary. I certify; this Engine has been inspected in accordance with an Annual Inspection, determined to be in airworthy condition with regard to the work performed, and that the work described above has been accomplished in accordance with current regulations. Burlington Air Center 703 Airport Rd. Burlington, Wi, 53105 (262) 763-9500 Fax (262) 763-2910 Burlington Air Center 703 Airport Rd. Burlington Air Center 703 Airport Rd. Burlington, Wi, 53105 (262) 763-9500 Fax (262) 763-2910							
Engine Installed: on Beechcraft Baron S8 N777TK SN) TH-1018 in RH position, see current AD report for list of accessories. Inspections: Completed Annual Inspection this date IAW FAR Pt. 43 App. D Compressions: Engines are Zero time Since Major Overhaul. All ADS thecked. All resultine maintenance completed: Installed new BA-7710 induction air filter element, AA48108-2 oil filter and serviced oil to 10qts of Phillips 20W50XC. Set mag timing per placards and markings, set fuel pressures per SID97-3C. Washed down engine, ran up and checked for leaks, none noted at this time. No repairs necessary. I certify; this Engine has been inspected in accordance with an Annual Inspection, determined to be in airworthy condition with regard to the work performed, and that the work described above has been accomplished in accordance with current regulations. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910 Mobbs: 5544.7 Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA49108-2 filter and filled engine with 11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Usted: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910							
Inspections; Completed Annual Inspection this date IAW FAR Pt. 43 App. D Compressions: Engines are Zero time Since Major Overhaul. All ADY: checked. All routine maintenance completed; installed new BA-7710 induction air filter element, AA48108-2 oil filter and serviced oil to 10ts of Phillips 20WSOXC. Set mag timing per placards and markings, set fuel pressures per SID97-3C. Washed down engine, ran up and checked for leaks, none noted at this time. No repairs necessary. I certify: this Engine has been inspected in accordance with an Annual Inspection, determined to be in airworthy condition with regard to the work performed, and that the work described above has been accomplished in accordance with current regulations. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910 4/13/2020 Right N777TK Hobbs: 5544.7 Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA45108-2 filter and filled engine with 11qts of Phillips 20WSOXC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Usted: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53305 (262) 763-9500 Fax (262) 763-2910		1/21/2020	Right	N777TK	Hobbs: 5523.0	SMOH: 0.0	
A/13/2020 Right N777TK Hobbs: 5544.7 Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA49108-2 filter and filled engine with 11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Listed: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910	-	Compressions: E All AD's checked All routine mair 10qts of Phillips and checked for No repairs neces	ingines are Zero time intenance completed: 20W50XC. Set mag tilleaks, none noted at insary. gine has been inspec	Since Major Overhaul. Installed new 8A-7710 ming per placards and m this time. ted in accordance with	induction air filter element, AA4810 arkings, set fuel pressures per SID97- an Annual Inspection, determined to love has been accomplished in accord.	be in airworthy condition with ance with current regulations.	
A/13/2020 Right N777TK Hobbs: 5544.7 Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA49108-2 filter and filled engine with 11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Listed: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910	1	/ 1	/ 1		WA-W	h. at	
A/13/2020 Right N777TK Hobbs: 5544.7 Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA49108-2 filter and filled engine with 11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Listed: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910				Burlingt	on Air Center		
Oil changed this date: Cut open filter and inspected for metal, none found. Installed new AA48108-2 filter and filled engine with 11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Listed: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53305 (262) 763-9500 Fax (262) 763-2910				703 Airport Ro	i. Burlington, WI, 53105		
11qts of Phillips 20W50XC oil. Washed down engine, ran up and checked for leaks, none noted at this time. Repairs as Listed: Adjusted fuel pressure with calibrated gauges per SID97-3G; ran up, found satisfactory at this time. I certify that the work described above has been accomplished and inspected in accordance with current regulations and is approved for return to service. Burlington Air Center 703 Airport Rd. Burlington, WI, 53105 (262) 763-9500 Fax (262) 763-2910	-	4/13/2020	Right		N777TK	Hobbs: 5544.7	
Burlington Air Center 703 Airport Rd. Burlington, Wt., 53105 (262) 763-9500 Fax (262) 763-2910	_**	11qts of Phillips Repairs as Liste I certify that the	20W50XC oil. Washe d: Adjusted fuel press work described abov	d down engine, ran up a ure with calibrated gaug e has been accomplishe	nd checked for leaks, none noted at the es per SID97-3G; ran up, found satisfa d and inspected in accordance with cu	nis time. ctory at this time. crent regulations and is approved	
Burlington Air Center 703 Airport Rd. Burlington, Wt., 53105 (262) 763-9500 Fax (262) 763-2910	wa	7 W W			- J. J. 344	Kesti	
	_	_ ^	,	703 Airport Rd	. Burlington, WI, 53105		
		0.232.000		(202) 763-950	AD Fax (262) 763-2910		

Repairs as Listed: Adjusted fuel pressure with	calibrated gauges per SiD97-3G; ran up, found satisfactory at this time.
certify that the work described above has be for return to service.	en accomplished and inspected in accordance with current regulations and is approved

	TACH	/	TTSN	/
Date	1 /			
	/	Hobbs	/	SMOH

Performed Work: Must include signature, certificate number, and repair station number if applicable

4383

Finefield Aviation Serv Date: 1/26/21 RIGHT ENGINE Log Aircraft Type S/N: Tach: TSMOH: TTAF: Hobbs 777TK BEECH-58 TH-1018 56.8 5579.8 5579.8

I certify this Engine has been inspected I.A.W. with an ANNUAL INSPECTION, and was determined to be in airworthy condtion, I.A.W. the BEECH maintenance manual.Compression test: 1) 76/80, 2) 72/80, 3) 76/80, 4) 71/80, 5) 72/80, 6) 74/80. | Dressed prop blades. | Changed oil and filter. Cut open old oil filter and found no metal contaminants. Serviced engine with 11qts. of 20W50 Phillips X/C oil. | Tightened induction hose clamps and engine breather hose clamps. | Checked magneto timing to specs. | Removed manifold pressure and alcohol deice hoses and made new assemblies using original hose fittings. Reinstalled and pressure checked hoses, checked ok. | Greased prop hub using Shell grease. | Lowered prop dome pressure from 75-psi down to 39 psi for proper dome pressure. | Tightened intake and exhaust flange nuts and bolts. | Cleaned oil dipstick cap and installed a new dipstick gasket. | Tightened transducer bolts and reinstalled cover. | Tightened valve cover screws. | Removed fuel controller screen, cleaned, installed and safetied. | Replaced instrument inlet air filter. | Cleaned, gapped and installed spark plugs. | Cleaned and installed spark plug wire ends. | Disconnected controls from engine and pressure lubed controls. Assembled and installed controls and checked rigging. | Replaced mixture and prop control rod ends and rigged controls and safetied. | Replaced alternate air duct. | Washed down engine. | Ran up and checked for leaks found none. | Pressure checked engine fuel system and found no leaks. |

This aircraft has been found airworthy for return to service with respect to the work described herein. Authorized Signature Frinted Name: James Finefield AP 353483286 IA For Finefield Aviation \$399 Pyott Road. Lake in the Hills, IL 60156 Phone: 815-459-4858 4383

G&N Aircraft Recommended oil after break in: Any approved straight weight AD oil of a viscosity respective of operating outside air temperature, i.e. Grade 65W through 100W.

Keeping You Flying for 50 years... And Beyond!

G&N AIRCRAFT, INC. F.A.A. Certified Repair Station MW2R020L



1701 E. Main Street | Griffith, Indiana 46319 Office 219.924.7110 Toll Free 800.348.6504 Fax 219.924.1059 email sales@gnaircraft.com

www.gnaircraft.com